



# What's New in Polaris and Leap

6.3

© 2022

## Legal Notices

© Innovative (Part of Clarivate) and/or its affiliates. All rights reserved. All trademarks shown are the property of their respective owners.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

The software and related documentation are provided under an agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of the software, unless required by law for interoperability, is prohibited.

## Contents

---

<b>Polaris Installation Notes .....</b>	<b>1</b>
<b>New and Modified Polaris Administration Settings .....</b>	<b>2</b>
<b>MARC Updates Implemented in Polaris 6.3 .....</b>	<b>5</b>
<b>WebAdmin Updates .....</b>	<b>6</b>
<b>Polaris API Changes .....</b>	<b>10</b>
<b>Bulk Update Purchase Order Notes .....</b>	<b>11</b>
<b>New Index to Increase Workslip Speed .....</b>	<b>14</b>
<b>Automatically Populate Authority Heading in Find Tool During Check Headings - Staff Client .....</b>	<b>15</b>
<b>Retain Bibliographic Control Number During Overlay/Replace .....</b>	<b>18</b>
Interactive Save of a Brand New Record .....	19
<b>Saving Default Remote Databases for Bibliographic Record Searches .....</b>	<b>22</b>
<b>Save Item Record Bulk Changes as Templates .....</b>	<b>23</b>
<b>Undelete Record Sets .....</b>	<b>27</b>
System Administration .....	27
Staff Client .....	27
Leap .....	27
System Administration Options to Retain Deleted Record Sets .....	28
Delete Record Sets Permissions Updated .....	29
Record Set Status .....	30
Record Set Undelete Transactions .....	31
Record Set Status in Record Set Header and Properties in Staff Client .....	32
Undelete Menu Option and Icon for Record Sets .....	33
Find Tool Updated for Deleted Record Sets .....	34
Record Set Status in Find Tool Search Results .....	35

---

Record Set Status in Record Set Header and Info Properties in Leap .....	36
Undelete Menu Option for Record Sets in Leap .....	37
Find Tool Updated for Deleted Record Sets in Leap .....	38
Record Set Status in Find Tool Search Results in Leap .....	39
<b>Call Number and Volume on Hold and Almost Overdue Notices .....</b>	<b>41</b>
<b>Circ Stats Added to Item View .....</b>	<b>42</b>
<b>New Total Holds Thresholds Include Inactive Setting .....</b>	<b>44</b>
<b>New Patron Gender Options .....</b>	<b>45</b>
Gender Drop Down Menus .....	45
Manage Genders .....	46
Gender Suppression .....	50
Gender No Longer Copied During Copy Patron Operation .....	52
Important Notes About Staff Client Offline Registration and Automated Offline Upload .....	52
Important Notes about INN-Reach .....	53
Important Notes about SimplyReports .....	53
<b>Suspend and Resume Outgoing Circulation API Messages for INN-Reach ..</b>	<b>54</b>
<b>Additional Item Columns Added to Request Manager .....</b>	<b>55</b>
<b>Support for JetPay E-commerce in Polaris PowerPAC .....</b>	<b>57</b>
Set Up a JetPay Account .....	57
Set Up JetPay Processing in the Administration Explorer .....	57
<b>Display Improvements in Polaris PowerPAC .....</b>	<b>62</b>
<b>Multilingual Support for Dashboard Titles .....</b>	<b>63</b>
Customize the Polaris PowerPAC dashboard .....	63
Customize a customer-defined dashboard .....	65
<b>Configure the Maximum Length of the Title Summary in PowerPAC Search Results .....</b>	<b>67</b>

---

<b>Compile CSS File with Polaris Web Admin Tool .....</b>	<b>69</b>
<b>Security Improvements for Patron Password Workflows .....</b>	<b>71</b>
Patron Workflow for Creating or Resetting a Password .....	71
Configuring the Reset Password Link Timeout Period .....	72
Other User Interface Changes .....	72
Updated E-mail Forgotten Password Label .....	73
<b>Leap Offline .....</b>	<b>74</b>
New Permission for Leap Offline Setup .....	75
Web Browser Information for Leap Offline .....	76
Leap Offline Installation .....	77
Refresh Leap Offline Installation .....	78
Leap Offline Settings .....	79
Uploading Offline Transactions .....	81
<b>Columns Added For Display in Leap Item Find Tool .....</b>	<b>83</b>
<b>Improvement to Patron Properties in Leap .....</b>	<b>85</b>
<b>Improved Sorting for Title Lists in Leap Patron Views .....</b>	<b>86</b>
<b>Editing Saved Reports in SimplyReports .....</b>	<b>87</b>

## Polaris Installation Notes

**Important:**

When the new Polaris release is installed on a workstation, the file path changes from 6.2 to 6.3 as in the following examples:

C:\ProgramData\Polaris\6.3

C:\Program Files\Polaris\6.3

C:\Program Files (x86)\Polaris\6.3

## New and Modified Polaris Administration Settings

The following table lists the new and modified profiles, parameters, and permissions in Polaris Administration.

Setting	Purpose	Level
<b>New Permissions</b>		
Cataloging: Cataloging record sets: Delete/Undelete	Adds the ability to permission the undelete of Cataloging record sets that have been marked for deletion.	Staff
Patron record sets: Delete/Undelete	Adds the ability to permission the undelete of Patron record sets that have been marked for deletion.	Staff
Leap: Setup Offline: Allow	Controls which users can complete the Leap Offline installation.	System
System Administration: Modify genders table: Allow	Allows you to modify the new Database table, Genders Table.	Staff, Workstation, Permission Group
Item Bulk Change Templates: Access	Allows users to view and use the saved item bulk change template data.	Staff, Workstation, Permission Group
Item Bulk Change Templates: Create	Allows users to create new saved bulk change templates.	Staff, Workstation, Permission Group
Item Bulk Change Templates: Modify	Allows users to modify existing saved bulk change templates.	Staff, Workstation, Permission Group
Item Bulk Change Templates: Delete	Allows users to delete saved bulk change item bulk change template data.	Staff, Workstation, Permission Group
Use 'own' item bulk change	Allows staff to 'own' item record bulk change templates.	System

Setting	Purpose	Level
templates: Allow		
<b>New Profiles</b>		
Cataloging: Automatically populate authority heading in Find Tool during check headings	Lets you enable or disable the automatic population of the heading in the <b>Authority Records - Heading Find Tool</b> when checking for duplicate headings.	System
PowerPAC: Title Display: Number of characters in the Summary (Short)	Allows you to specify the maximum number of characters of the Summary (Short) field that are displayed in the brief and full search results views for a title in the Polaris PowerPAC.	Branch
PAC: Reset password link timeout duration	Allows you to determine the time period (in minutes) during which the reset password link emailed to the patron remains active.	System, Library, and Branch
Patron Services: Retain deleted patron record sets.	Enables the system to retain deleted patron record sets.	Systems
Cataloging: Retain deleted cataloging record sets	Enables the system to retain deleted cataloging record sets.	Systems
<b>New Parameters</b>		
Request: Total holds thresholds include Inactive	Lets you specify whether inactive hold requests count toward a patron's total holds limit.	System
Patron Services: Patron Registration Filter genders	Allows you to manage gender drop down lists.	Branch



Setting	Purpose	Level
Patron Services: Patron registration options	Allows you to suppress gender tracking in Staff Client and Leap.	Branch
<b>Modified Profiles</b>		
PAC: Patron access options: Self-registration: Suppress gender selection	Allows you to suppress gender in Self-Registration.	Branch
PAC: Patron Access Options: Login	Enable option to send patrons a reset password link.	Branch
<b>Modified Parameters:</b>		
Credit Card Payment: Online Payment Settings: Configure	A new JetPay option in the Payment processing gateway list allows you to configure Polaris to use JetPay for processing credit card payments from PowerPAC.	Library, Branch

## **MARC Updates Implemented in Polaris 6.3**

The updates specified in the [October 26, 2018 MARC technical notice](#) were implemented in Polaris 6.3.

## WebAdmin Updates

The tables below lists the most important new strings added in Polaris 6.3.

### ExpressCheck Strings

Mnemonic String	Text
EC_TEXT_FORGOTPASSWORD_1010	The e-mail could not be sent. Please contact the library for assistance.
EC_TEXT_FORGOTPASSWORD_EMAIL_HOURS	Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} hours. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator
EC_TEXT_FORGOTPASSWORD_EMAIL_MINUTES	Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} minutes. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator

### MobilePAC Strings

Mnemonic String	Text
MP_ACCOUNTLOGON_RESET_SUCCESS	Your password has been reset.
MP_CRUMBS_RESETPWD	Reset Password

Mnemonic String	Text
MP_HOLD_REQ_AVAIL_ERROR	Hold Requests are not allowed for this title
MP_MSG_FORGOTPASSWORD_EMAIL_HOURS	Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} hours. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator
MP_MSG_FORGOTPASSWORD_EMAIL_MINUTES	Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} minutes. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator
MP_MSG_FORGOTPASSWORD_INFO_BARCODE_RESET	Your reset password link has expired. Please submit your Barcode below to request a new one.
MP_MSG_FORGOTPASSWORD_INFO_USERNAME_RESET	Your reset password link has expired. Please submit your Username or Barcode below to request a new one.

## PowerPAC Strings

Mnemonic String	Text
PACML_DASH_CHILDFICTIONSERIES	Children's Fiction Series

Mnemonic String	Text
PACML_DASH_CHILDILLUSTRATED	Children's Illustrated
PACML_DASH_DONATION	Make a Donation
PACML_DASH_EARLYMIDDLE	Early and Middle Grade Readers (sys cust)
PACML_DASH_HARDFICTION	Hardcover Fiction
PACML_DASH_HARDNONFICTION	Hardcover Non-Fiction
PACML_DASH_MASSMARKET	Mass Market
PACML_DASH_MOSTCIRCAUTHORS	Most Circ'd Authors
PACML_DASH_MOSTCIRCSUBJECTS	Most Circ'd Subjects
PACML_DASH_MOSTCIRCTITLES	Most Circ'd Titles
PACML_DASH_NEWTITLES	New Titles
PACML_DASH_ONORDERITEMS	On-Order Items
PACML_DASH_PAPERFICTION	Trade Paperback Fiction
PACML_DASH_PAPERNONFICTION	Trade Paperback Non-Fiction
PACML_DASH_YOUNGADULT	Young Adult
PACML_FORGOTPASSWORD_1014	Your reset password link is invalid or has expired. Please submit your Username or Barcode below to request a new one.
PACML_FORGOTPASSWORD_1015	Your reset password link is invalid or has expired. Please submit your Barcode below to request a new one.
PACML_FORGOTPASSWORD_CONFIRM	Confirm Password:
PACML_FORGOTPASSWORD_EMAIL_HOURS	Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} hours. If

Mnemonic String	Text
	the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator
PACML_FORGOTPASSWORD_EMAIL_MINUTES	Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} minutes. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator
PACML_FORGOTPASSWORD_INST	Please create a new password. You will then be directed to log in.
PACML_FORGOTPASSWORD_NEW	New Password:
PACML_FORGOTPASSWORD_SHOW	Show password
PACML_FORGOTPASSWORD_TITLE	Reset Password
PACML_JETPAY_DONATION_NOTE	Thank you for your Donation.
PACML_JETPAY_PAYMENT_NOTE	Thank you for your payment.
PACML_JETPAY_TRANSACTION_ERR	There is a problem with your payment. Please contact the library for assistance.
PACML_LOGON_PASSWORDRESET	Your password has been reset.
PACML_PROCESSINGFEES_JETPAY_ERR	JetPay fee is \$0.00 or there was a JetPay API error. You will see the fee when you are at the JetPay site.
PACML_SUMMARYLESS	Less
PACML_SUMMARYMORE	More

## Polaris API Changes

The table below is a list of changes to the Polaris APIs for v6.3.


Method Name	Purpose
PickupBranchesGet	This new endpoint returns a list of valid pickup branches based on the organization ID.
ShelfLocationsGet	This new endpoint returns a list of shelf locations based on the organization ID.
Synch_BibsPagedGet	This new endpoint allows a paged extraction of bib record data.
ItemUpdateBarcode	The new parameter BarcodeOrID has been implemented that enables a barcode to be updated using either the item ID or the item barcode as an identifier. An additional new parameter, isBarcode, specifies whether the identifier used is an item record ID or a barcode.
PatronHoldRequestGet	A new CanSuspend Boolean property has been added that indicates whether a patron's hold request can be suspended.
PatronReadingHistoryClear	Now removes a range of historical reading history entries by specifying their ID using the new id query string parameter.

For more information, see the **Polaris API Reference for v6.3**.

## Bulk Update Purchase Order Notes

You now have the ability to update purchase order line item notes in bulk from the Purchase Order workflow.

The **Update Note** option is now in the right-click menu for purchase order line items. You can select one or more notes to update with this option.



### Note:

This menu option is not enabled if any of the selected purchase order line items have a status of Closed.


Selecting this option will open the **Update Notes** dialog with two note types:

- **Public Note**
- **Non-Public Note**

Both note types have the following options:




- **Replace** - replaces the existing note.
- **Prepend** - inserts the new note and a blank line before the existing note.
- **Append** - inserts a blank line and the new note after the existing note.

The image shows a dialog box titled "Update Notes" with a close button (X) in the top right corner. Inside the dialog, there are two sections. The first section is labeled "Notes" and contains a checkbox for "Public note:" followed by a text area with a vertical scrollbar. Below this text area are three radio buttons: "Replace", "Prepend", and "Append". The second section is labeled "Non-public note:" followed by another text area with a vertical scrollbar. Below this text area are also three radio buttons: "Replace", "Prepend", and "Append". At the bottom of the dialog are three buttons: "OK", "Cancel", and "Help".

If Replace is selected and text is not entered in the note field, the existing note will be deleted.

Notes longer than 255 characters will be truncated to 255.

If prepending or appending causes a note to be larger than 255 characters, you will see the following message:

The image shows a dialog box titled "Polaris" with a close button (X) in the top right corner. Inside the dialog, there is a question mark icon in a blue circle. To the right of the icon is a text box with a red border containing the message: "Prepending / appending note data to Line Number 1 will cause the note to be truncated to 255 characters. Do you want to update the note?". Below this message is a checkbox labeled "Do not warn me again". At the bottom of the dialog are two buttons: "Yes" and "No".

- Yes - updates the note(s).
- No - returns you to the Purchase order updating only the line items where the data would not be truncated. The above message will appear for each line item that may be truncated.

- Cancel - returns the user to the purchase order with the line item(s) still highlighted.


## **New Index to Increase Workslip Speed**

A new index was added to speed up the printing of PO line item work slips.

## Automatically Populate Authority Heading in Find Tool During Check Headings - Staff Client

A new administration setting lets you enable or disable the automatic population of the heading in the **Authority Records - Heading Find Tool** when checking for duplicate headings.

Open **Administration Explorer > Profiles > Cataloging**:




The default value for this setting is No.

It is available at the System, Library, Branch, Work Station, and Staff Member levels.


If this setting is enabled, the Find Tool is automatically populated when:

1. The user is working in a bibliographic record with an unlinked heading.

2. A heading check is triggered either by saving the record as final or by selecting **Check Headings** from **Tools** in the record workform:



3. The **Check Headings Assistant Dialog Box** displays the headings with no matching authority record, and the user selects **Details** for one of the headings:



4. The [Check Headings Details Dialog Box](#) opens, and the user selects **Find** to search for a matching heading:

'Check Heading(s)' Details

Bibliographic Heading: 650 7 #aJuvenile Fiction

Possible Authority Records

Heading
150 #aChildren's stories
155 #aJuvenile fiction.

Open

**Find**

Conditions

The bib heading tag number does not match this authority record

Solution

☐ Create new authority record

5. The **Authority Records - Heading Find Tool** appears with the **For** option pre-populated using the heading subfield a.:

Authority Records - Heading Find Tool

File Edit Tools Options Help

General Settings Databases

Object: Authority Records Limit by: (None)

Search by: Heading Value:

Type: Exact match (implicitly truncated)

Sort by: (None)

For: **Juvenile Fiction**

Search Mode

☒ Normal

☐ Power

☐ SQL

☐ Count Only

Search

Stop

New Search

Clear

Help

For Help, press F1

Close on Select

**Note:**

The user can change the search criteria before executing the search in the Find Tool and search terms do not persist between searches.

## Retain Bibliographic Control Number During Overlay/Replace

Duplicate detection now maintains the control number of the existing bibliographic record by default during the import overlay/replace process. Import permissions remain unchanged.

When you choose **Save incoming record as final; replace database record**, the existing record is overlayed by the new incoming record but its control number is retained.

The screenshot shows the 'Polaris Import Setup - Full' dialog box with the 'Bibliographic Records' tab selected. The 'Bibliographic Save Options' section includes radio buttons for 'Save all records as final' (selected), 'Save all records as provisional', and 'Do not save any records'. There are checkboxes for 'Display in PAC' (checked) and 'Do not overlay'. A 'Record owner' dropdown is set to 'QA-YODA 6.3 (sys)'. The 'When Saving Bibliographic Records as Final' section has 'Perform MARC 21 Validation' checked, with options to 'Save record as provisional' or 'Ignore errors; save record as final' (selected). The 'Perform Duplicate Detection' checkbox is also checked, with options to 'Use system defined duplicate detection rules' (selected) or 'Use profile defined duplicate detection rules'. Under 'If a suspected duplicate is found:', the option 'Save incoming record as final; replace database record' is selected and highlighted with a red box. Other options include 'Save incoming record as provisional', 'Save record with highest encoding level. If encoding levels match:' (with sub-options 'Save incoming record as final; replace database record', 'Reject incoming record', and 'Save incoming record as provisional (ignore Keep MARC Tags)'), and 'Reject incoming record; add MARC retention tags to database record'. The 'Perform Authority Control' section is unchecked, with options for 'Automatically create new authority record; save bibliographic record as final', 'Do not create authority record; save bibliographic record as final', and 'Do not create authority record; save bibliographic record as provisional'. The 'Keep MARC Tags' section is also unchecked, with options for 'System defined overlay retention tags' and 'Profile defined overlay retention tags'. At the bottom are 'Import', 'Cancel', and 'Help' buttons.

When you choose **Save record with highest encoding level. If encoding levels match:**, the **Save incoming record as final; replace database record** option is selected by default. You can also choose to reject the incoming record or save the incoming record as provisional. The control number is retained only when saving the record as final.


The screenshot shows the 'Polaris Import Setup - Full' dialog box. The 'Bibliographic Records' tab is selected. The 'Bibliographic Save Options' section includes radio buttons for 'Save all records as final' (selected), 'Save all records as provisional', and 'Do not save any records'. There are checkboxes for 'Display in PAC' and 'Do not overlay'. A 'Record owner' dropdown is set to 'QA-YODA 6.3 (sys)'. The 'When Saving Bibliographic Records as Final' section has checkboxes for 'Perform MARC 21 Validation' (checked) and 'Perform Authority Control'. Under 'Perform MARC 21 Validation', there are radio buttons for 'Save record as provisional' and 'Ignore errors; save record as final' (selected). Under 'Perform Authority Control', there are radio buttons for 'Automatically create new authority record; save bibliographic record as final', 'Do not create authority record; save bibliographic record as final', and 'Do not create authority record; save bibliographic record as provisional'. The 'Perform Duplicate Detection' section has a checked checkbox and radio buttons for 'Use system defined duplicate detection rules' (selected) and 'Use profile defined duplicate detection rules'. Below this, there are radio buttons for 'Save incoming record as provisional', 'Save incoming record as final; do not replace database record', and 'Save incoming record as final; replace database record'. A red box highlights the 'Save record with highest encoding level. If encoding levels match:' section, which contains radio buttons for 'Save incoming record as final; replace database record' (selected), 'Reject incoming record', and 'Save incoming record as provisional (ignore "Keep MARC Tags")'. At the bottom, there are 'Import', 'Cancel', and 'Help' buttons.

## Interactive Save of a Brand New Record


When creating a new bibliographic record, or importing and saving a new bibliographic record using z39.50, the control number of the existing record will automatically be retained when there is only one duplicate. You can choose which control number to retain when there are multiple duplicates available.

A new column called Maintain control number has been added to the **Duplicate Detection** dialog.





If only one duplicate is found, the checkbox is checked by default and cannot be unchecked. the control number of the suspected duplicate will be the one retained. The record owner is also retained. This requires the **Bib record modify** permission (overridable), and will update the modification date of the existing record.



If more than one suspected duplicate record is found, the user will have the option to select which records to replace, and of those records, which control number will be retained.

Replace / Check For Duplicates (Bibliographic Records)

Retain this record:

Control n...	Owner	Title	Author	Format	Linked items	Status
QA-YODA 6...	Horses /		Patent, Dorothy Hin...		0	

Records to replace:

Maint...	Control nu...	Owner	Title	Author	Format	Linked items	Status	System-detected duplicate
<input type="checkbox"/>	468457	QA-YODA ...	Horses	Patent, Doro...	Book	2	Final	LCCN;ISBN;Author/Title;Title/2
<input type="checkbox"/>	1413811	QA-YODA ...	Horses	Patent, Doro...	Book	1	Final	LCCN;ISBN;Author/Title;Just TI

Replace All Replace Selected Cancel Help

Records in a status of provisional are not eligible for this feature, and will have a disabled checkbox.

## Saving Default Remote Databases for Bibliographic Record Searches

You can now save default remote databases that Polaris searches when you use the Find Tool to search for bibliographic records.

**Note:** Default search databases are associated with your user account.

To save default search databases:

1. Open the Find Tool for bibliographic records and navigate to the **Databases** tab.
2. Select the remote databases you would like to search.
3. Select **Options > Save as User Default**.

Polaris saves your preferred remote search databases. When you open the Find Tool for bibliographic records in the future, your preferred search databases are already selected.

To clear saved default search databases:

1. Open the Find Tool for bibliographic records, and navigate to the **Databases** tab.
2. **Select Options > Revert to System Default**.

If an administrator deletes a remote database that is being used as a default search database by one or more users, the database is automatically removed from each user's saved default search databases.


## Save Item Record Bulk Changes as Templates

You now have the option to save item record bulk change settings as templates to reuse your item bulk change criteria. This feature is available in the Staff Client and Leap.

The following new permissions must be assigned to enable this feature. They can be assigned at the Permission Group, Workstation, and Staff member levels.


At the branch level, **Item Bulk Changes Templates**:

- **Access** – allows users to view and use the saved criteria.
- **Create** – allows users to create new saved bulk change templates.
- **Modify** – allows users to modify existing saved bulk change templates.
- **Delete** – allows users to delete saved bulk change criteria.



The following new permission is necessary if the library wants to allow staff to 'own' item record bulk change templates. If the library wants all templates to be owned at the sys/lib/branch levels, then they would not assign this permission to staff.

At the system level: Use 'own' item bulk change templates > **Allow**.



The Staff Client Item Bulk Change dialog is updated to include these options:

- **Template** – select an existing item record bulk change template available to you.
- **Save** – modify an existing template.
- **Save As** – save item bulk change criteria as a new template.

- **Delete** – delete an existing template.

The Leap Item Bulk change workform is updated to include these options:

- **SAVE AS TEMPLATE** - save item bulk change criteria as a new template.

- **Template** - select an existing item record bulk change template from a list of templates available to you.

Leap also has a new **Item Bulk Change Template** workform to modify, copy, and delete item bulk change templates.

## Undelete Record Sets

Sometimes a record set is deleted by accident, and this can be a difficult situation to rectify if the user who deleted the set was not the creator.

You can now undelete record sets if this feature has been enabled by the system administrator. Record sets now have a status of Final or Deleted. If the status of the record set is Deleted, then staff could use the Undelete action similar to the item record delete/undelete function.

This functionality can be accomplished in both Leap and the Staff Client.

The following sections provide more information about enabling, configuring, and using the Undelete Record Set function:

---

### System Administration

- [System Administration Options to Retain Deleted Record Sets](#)
- [Delete Record Sets Permissions Updated](#)
- [Record Set Status](#)
- [Record Set Undelete Transactions](#)

---

### Staff Client

- [Record Set Status in Record Set Header and Properties](#)
- [Undelete Menu Option and Icon for Record Sets](#)
- [Find Tool Updated for Deleted Record Sets](#)
- [Record Set Status in Find Tool Search Results](#)

---

### Leap

- [Record Set Status in Record Set Header and Info Properties in Leap](#)
- [Undelete Menu Option for Record Sets in Leap](#)




- [Find Tool Updated for Deleted Record Sets in Leap](#)
- [Record Set Status in Find Tool Search Results](#)


## System Administration Options to Retain Deleted Record Sets

Deleted record sets must be retained to enable the Undelete Record Sets option. These are system level settings.

To retain Patron record sets, go to **Administration Explorer > Profiles > Patron Services > Retain deleted patron record sets**. Select **Yes**.




To retain Cataloging record sets, go to **Administration Explorer > Profiles > Cataloging > Retain deleted cataloging record sets**. Select **Yes**.



## Delete Record Sets Permissions Updated


Cataloging and patron record sets permissions are updated to support the ability to permission the undelete of record sets that have been marked for deletion.

- Cataloging Record Sets: Delete permission now includes **/Undelete**



Control Record	Permission	Subsystem
Campaigns	Access	Cataloging
Campaigns	Create	Cataloging
Campaigns	Delete	Cataloging
Campaigns	Modify	Cataloging
Cataloging record sets	Access	Cataloging
Cataloging record sets	Create	Cataloging
Cataloging record sets	Delete/Undelete	Cataloging
Cataloging record sets	Modify	Cataloging
Check in shelf-ready materials	Allow	Acquisitions
Circulation check-in workflow	Access Bulk mode	Circulation
Circulation check-in workflow	Access In-house...	Circulation
Circulation check-in workflow	Access Inventor...	Circulation

- Patron Record Sets: Delete permission now includes **/Undelete**



Control Record	Permission	Subsystem
Override renewal limit blocks	Allow	Circulation
Override request blocks	Allow	Circulation
Override request limits	Allow	Circulation
Patron claims: Reset total claim count	Allow	Circulation
Patron record sets	Access	Circulation
Patron record sets	Create	Circulation
Patron record sets	Delete/Undelete	Circulation
Patron record sets	Modify	Circulation
Patron registration	Access	Circulation
Patron registration	Create	Circulation
Patron registration	Create express r...	Circulation
Patron registration	Delete	Circulation

## Record Set Status

To support the ability to undelete a record set, record sets now have a status that is stored as an additional column in the Record Sets table.

Record sets have a status of 1 = **Final** or 4 = **Deleted**.

## Record Set Undelete Transactions

To support the ability to track deleted or undeleted record sets, two new types of transactions are now available in the Transaction Logging database table:

- Record set marked for deletion
- Record set undeleted

Transaction Description	Log Transaction
Econtent checkout (no item record)	Yes
eCommerce Payment	Yes
Phone Attendant: Call Received	Yes
System Logon	Yes
System Logoff	Yes
Supervisor override transactions	Yes
Record set deleted	Yes
Record set created	Yes
Record set modified	Yes
Saved search has been run	Yes
Item barcode assigned to RFID tag	Yes
Overdue notices posted	Yes
Patron barcode assigned to RFID tag	Yes
Browse heading updated	Yes
Record set marked for deletion	Yes
Record set undeleted	Yes

The following subtype data are included:

- 50 Type of Record
- 168 Record set RecordID
- 192 Record set owner
- 193 Record set name

## Record Set Status in Record Set Header and Properties in Staff Client


Record set status is now in the Record Set Header on Record Set Workforms for Authority, Bibliographic, Item, and Patron record sets. Record sets can have a status of Final or Deleted.

The screenshot shows the 'Record Set 84869 - Polaris' window. The 'Record status' field is highlighted with a red box and set to 'Final'. The 'Record type' is 'Bibliographic'. The 'Name' is 'Serafina' and the 'Owner' is 'cheryl.stewart'. The 'Note' is 'Test Record Set' and the 'Number of records' is '2'. A table of records is displayed below the header.

Title	Author	Format	Linke...	Holds	Public...	Call Number	Control N...	Status
Serafina and the Black Cloak [electronic reso...	Beatty, Robert	Eaudio...	9	*	2015		1294816	Final
Serafina and the Black Cloak [electronic reso...	Beatty, Robert	Ebook	6	*	2015		1328157	Final

The record set was saved successfully. 2 of 2 record(s) retrieved

Record set status is also now in Record Set Properties.




---


## Undelete Menu Option and Icon for Record Sets

An Undelete menu option and icon are now available for all four record set types: Patron, Item, Bibliographic, and Authority.

The Undelete Menu option is on the File menu directly below the Delete option. The keyboard control for this option is **Ctrl+ U**.



The Undelete icon is to the right of the Delete icon on the Record Set Workform.





The Undelete option is only enabled if the record set's status is Deleted.

---

## Find Tool Updated for Deleted Record Sets

The Find Tool in the Staff Client has been updated so that deleted record sets are excluded from search results unless you search by Record Status or Record Set ID.

Record Status has been added to both the Cataloging Record Sets and the Patron Services Record Sets Find Tools as access points for searches by Record Status:



The following access points in the Find Tool have been updated to exclude record sets with the status of Deleted from these search results:


- Creation Date
- Name
- Owner

---

### Record Set Status in Find Tool Search Results


Record set status is now available in data returned in the Find Tool search results.






### Record Set Status in Record Set Header and Info Properties in Leap

Record set status is now in the Record Set Header on Record Set Workforms for Authority, Bibliographic, Item, and Patron record sets. Record sets can have a status of Final or Deleted.




Record set status is also now in Record Set Properties.



## Undelete Menu Option for Record Sets in Leap

An Undelete menu option is now in the header level **ACTIONS** button on all four record set types: Patron, Item, Bibliographic, and Authority.


The Undelete option is only enabled if the record set's status is Deleted.



## Find Tool Updated for Deleted Record Sets in Leap

The Find Tool in Leap has been updated so that deleted record sets are excluded from search results unless you search by Record Status or Record Set ID.

Record Status has been added to the Find Tool as an access point for searches by Record Status:



The following access points in the Find Tool have been updated to exclude record sets with the status of Deleted from these search results:

- Creation Date
- Name
- Owner
- Type

## Record Set Status in Find Tool Search Results in Leap

Record set status is now available in data returned in the Find Tool search results in Leap.

A column called Record Status is now listed under Column Settings in the Find Tool. This column is unselected by default.

The screenshot shows the 'Find Tool - Record Set' dialog box with the 'Column Settings' tab active. On the left, a list of columns includes 'Name', 'Record Type', 'Owner', 'Total Records', 'Creation Date', 'Note', and 'Record Status'. The 'Record Status' checkbox is checked and highlighted with a red rectangle. Below this list are 'MOVE UP' and 'MOVE DOWN' buttons. On the right, a table titled 'Display Position' shows the configuration for the selected column:

Display Position	
7	
Folded	False
Name	Record Status
Pinned	False
Visible	True
Width	10

Below the table, a section titled 'Display Position' explains: 'The order of the column in the display.' At the bottom right are 'SAVE' and 'CANCEL' buttons.

Once selected, the column can be pinned and manipulated like all the other columns under Column Settings.

Find Tool - Record Set

Record Set ▾ Basic Search ▾ Record set ID ▾ Exact ▾

84728

✕ ☆ 🔍 ☰

<div>⌵</div>	Name	Record Type	Owner	Total Records	Creation Date	Note	Record Status
<input checked="" type="checkbox"/>	Nest for Celeste	Bibliographic R...	cheryl.stewart	2	2/25/2019	Test record...	Final

Ready

1 result(s)

☐ Count Only

OPEN

CANCEL

## **Call Number and Volume on Hold and Almost Overdue Notices**

The item call number and volume are now included on Hold Notices and Almost Overdue Reminders.

Both are added to each of the following notices after the Format column:


- Holds - Full-page mailer
- Holds - Half-page mailer
- Holds - Half-page mailer - dot matrix
- Holds - Z-fold mailer
- Holds - Z-fold oversize
- Email - Almost Overdue
- Email - Almost Overdue Other Items
- Email - Reminder Almost Overdue
- Email - Request

## Circ Stats Added to Item View

The **(YTD) circulation (circ) count** and **lifetime circ count** stats are now displayed in the Item Level view in the Bibliographic Records Preview window.

To view these stats:

1. From the Bibliographic Records Find Tool, right-click on a bibliographic record, and select **Preview**.



2. The Preview window opens. The (YTD) circulation (circ) count and lifetime circ

count stats are displayed in the Item Level view.

QA-POLARIS - Polaris Database (Bibliographic Record 10966)													
<div> <div>LCCN: 76022211 /AC</div> <div>ISBN: 0876911866 :\$7.95</div> <div>Other Control No: AAX-0512</div> <div>Author: Randles, Slim.</div> <div>Title: Dogsled : a true tale of the North / Slim Randles.</div> <div>Imprint: New York : Winchester Press, c1976.</div> <div>Description: 209 p. ; 22 cm.</div> <div>Summary: A reporter recounts adventures of his adopted life in Alaska and particularly his grueling dog team expeditions.</div> </div> <div> <input checked="" type="checkbox"/> Display in PAC         </div>													
Total number of active holds:		0		Grand Total Circulation (lifetime): 19				Popularity: Low					
Branch Name	No. of Items	Circ YTD	Circ Prev YTD	Circ Lifetime	In-house YTD	In-house Prev YTD	In-house Lifetime						
Argyle Free Library (ARG)	4	0	0	19	0	0	0						
Bancroft Public Library (Salem) (SLM)	1	0	0	2	0	0	0						
Pember Library and Museum (Granville) (GRA)	1	0	0	1	0	0	0						
Schenectady Branch - Central (SCP)	1	0	0	11	0	0	0						
Title	Assigned Bra...	Collection	Material...	Shelf Lo...	Call Number	V...	Status	Barcode	Last Activit...	R...	Control N...	YTD Circ Count	Lifetime Circ Count
Dogsled : a true tale o...	Argyle Free L...	Adult Non...	Book		917.98 Ran		In	0002600073296	10/23/2007	F...	1757006	0	5
Dogsled : a true tale o...	Bancroft Publ...	Adult Non...	Book		917.98 Ran		Withd...	0002200083398	4/1/2005	F...	1693097	0	2
Dogsled : a true tale o...	Pember Libra...	Adult Non...	Book		917.98 Ran		In	0003200169799	3/21/2002	F...	1856109	0	1
Dogsled : a true tale o...	Schenectady...	Adult Non...	Book	Storage...	979.8 R.19		Withd...	0000400765061	7/20/2000	F...	313955	0	11



## New Total Holds Thresholds Include Inactive Setting

In previous versions of Polaris, inactive hold requests counted toward a patron's total number of allowed hold requests. As of Polaris version 6.2, a new system-level **Total holds thresholds include Inactive** setting lets you specify whether inactive hold requests count toward a patron's total holds limit.

The new system-level **Total holds thresholds include Inactive** setting is now available on the **Terms** tab of the **Hold options** window. This window is accessible in the Administration Explorer by selecting **Parameters > Request**.

Hold options

Requests Charges Preferred Pickup Staff client & PAC **Terms** RTF Queue

Days

Number days held for pickup:

Default expiration period:

\*\* Delete expired in:

\*\* Delete cancelled in:

\*\* Delete not-supplied in:

Undaunted requests:

☒ Delete

☐ Cancel

\*\* ☒ Total holds thresholds include Held/Shipped

**\*\* ☐ Total holds thresholds include Inactive**

\*\* System level only

OK Cancel Apply Help

When the **Total holds thresholds include Inactive** checkbox is:

- Selected - Inactive hold requests count toward a patron's total holds limit. This is the default setting.
- Not selected - Inactive hold requests do not count toward a patron's total holds limit.

## New Patron Gender Options


New patron gender options now allow flexibility in how you track or don't track gender.

### Gender Drop Down Menus

Patron registration workforms in the Staff Client, Leap, PowerPAC, and MobilePAC now include Gender selection drop down menus.

All drop down menus start with a **(None)** option followed by a list of genders specified for the specific organization. The (None) option is selected by default unless a patron has already selected a gender. Selecting (None) sets the patron's gender to "null" in the database as if they have opted out of a gender selection.

The screenshot shows the 'Patron Registration - 357715 - General - Polaris' window. The 'Gender' dropdown menu is highlighted with a red box, showing the following options: (None), N/A, Female, and Male. The 'Female' option is currently selected. Other fields visible include Barcode (A12291954), Last name (Izquierda), First name (Laura), Middle name, Title, Suffix, Registered at (Community Library (COB)), Patron code (Retired), Expiration Term (0), Date (11/15/2022), Statistical class, Password, Language (English), Former barcode (131335456456), Birth date (12/1/1955), Date of original registration (11/15/2020), Last activity date (6/18/2019 10:57:22 AM), and various checkboxes for excluding from notices and reminders.



leap Scan or search FIND

**LAURA IZQUIERDA** ⓘ  
A12291954  
COMMUNITY LIBRARY

BLOCKS NOTES

Check Out (0) Out (0) / Overdue (0) Account (\$25.00) Claims (2) / Lost (0) Holds (12) / Held (0) ILL (0) / Held (0) Reading History Associate

**Profile**

Barcode \* A12291954 Registered At \* Community Library

Former Barcode 131335456456 Patron Code \* Retired

Last Name \* Izquierda Date of Registration 11/15/2018

First Name \* Laura Expiration Date \* 11/15/2022

Middle Name

Birth Date 12/1/1955

Title Suffix Statistical Class Cobleskill-Town

Gender \*  
Female  
(None)  
N/A  
Female  
Male


**Attributes**

ID Number \* 4 Privileges / Restrictions \* 4

Water Demonstration \* CyberMiles Only (YYY VVV) \*


## Manage Genders

A Genders Database table is available at the system, library, and branch levels. Changes to the table modifies it for all users. Select **Database Tables > Genders**.




Entries can be added/modified/deleted.


- A message is presented for changes that affect all libraries.




- Database integrity is enforced on the deletion, not allowing a user to delete a row that is in use by a patron with the following message presented.




Editing the Genders Table requires a new permission. Select **Security > System Administration > Modify genders table: Allow**. This permission is granted at the Staff Member, Workstation, and Permission Group levels. It is not granted by default.



You can also manage gender displays. These can be managed at the system, library, and branch levels. Select **Parameters > Patron Services > Patron Registration Filter genders**.




You can select the gender options to display and change the order in which they are displayed.




## Gender Suppression

You now have the ability to suppress the Gender question when registering and opening patron records. When suppressed, the Gender question will not be visible on patron workforms, and gender is not tracked. Suppression is based on the patron's registered branch.


To suppress Gender tracking in the Staff Client and Leap, select **Branch > Parameters > Patron Services > Patron registration options**.



Select **Display Options**. When Gender is checked, it is suppressed.



To suppress Gender in Self-registration, select **Branch > Profiles > PAC > Patron access options**.



Select **Self-registration**. Gender is suppressed when **Suppress gender selection** is checked.



Patron Access Options [ Community Library (br) ]

Self-registration Defaults Log In Contact Info Preferences Ask us

☒ Patron can self-register

E-mail to: Add Delete

Name	Branch
Cobleskill Patron Update	Community Library

☒ Self-registration warning message enabled

Self-registration Instruction, Acknowledgement, and COPPA messages are defined on the Display Names and Message Text dialog box (Double-click 'Multiple language strings').

UDF Display Custom Field Display

User defined fields to display

<input type="checkbox"/> ID Number	<input type="checkbox"/> Required
<input checked="" type="checkbox"/> Privileges / Restrictions	<input type="checkbox"/> Required
<input type="checkbox"/> Voter Registration	<input type="checkbox"/> Required
<input type="checkbox"/> CybraryN Use Only (XXX,YYY)	<input type="checkbox"/> Required
<input type="checkbox"/> Not Currently in Use	<input type="checkbox"/> Required

☒ Birth date required

☐ Suppress gender selection

Save Cancel Apply Help

## Gender No Longer Copied During Copy Patron Operation

Copying a patron record will not copy over the gender but should use the same suppression rules unless/until the patron's registered branch changes.

## Important Notes About Staff Client Offline Registration and Automated Offline Upload

- While uploading offline transactions, specifically offline patron registration, using Bookmobile or Automated Offline, the upload process will try to convert the existing single character gender (N, F, M) to the new GenderID values.

- The new GenderID mappings are allowed to be deleted, but if the library plans to do so, then they **MUST** keep them until ALL offline transaction files created on releases older than 6.3 are uploaded.
- Once the library starts doing offline circulation on a 6.3 or newer staff client, they can remove the default gender entries if they choose to do so, but they will not be able to maintain a gender when uploading transactions from a previous release.

---

## Important Notes about INN-Reach

The gender in the virtual patron record is set from the gender in the institutional patron template. If the registered branch of the virtual patron is not set to display the gender in the template, the gender of the virtual patron will be set to (None). The INN-Reach gender applied to the institutional patron template should be a gender that is available at all branches.

---

## Important Notes about SimplyReports


Any saved reports that used the Gender field will now be broken. To fix these:

1. Open the report for editing.
2. Verify your Gender selection is still valid.
3. Save the report.

## Suspend and Resume Outgoing Circulation API Messages for INN-Reach


Suspend and Resume buttons were added to the Current Queue Status section of the Status and Statistics page in Polaris INN-Reach Administration. These buttons provide the ability to suspend and resume outgoing circulation API messages. You must have the INN-Reach Modify user permission to use this feature. Otherwise, the Action column and the buttons do not appear.

When you select the Suspend button, the Resume button appears.



**Status and Statistics**  
The INN-Reach statistical data listed below applies to this local Polaris site.

**Local Server Status**

Good news! Local system is configured and running. 

[show details](#)

**Current Queue Status**

Queue Status	Count	Action
Record contribution queue size	0	
Circulation message queue size	0	<a href="#">Suspend</a>

**Record Contribution Statistics**

Action	1 hour	24 hours	7 days	30 days	Lifetime
Bibliographic records contributed to INN-Reach	0	0	0	1	18469
Bibliographic records updated	0	1	7	17	76
Item records contributed to INN-Reach	0	0	0	1	22210
Item records updated	0	2	5	10	71


© 2018 - Innovative Interfaces, Inc.

## Additional Item Columns Added to Request Manager

You can now view Item Agency and Item Location information directly in the Request Manager. This ability is available in both the Staff Client and Leap. This information was previously only visible by opening each request and viewing the Notes field. The function of the Notes field remains unchanged; information will still display in the Notes field.

Customers must be licensed for INN-Reach in order to view the new columns. Customers who don't use INN-Reach will not see the additional columns.

### Staff Client View



### Leap View

## What's New in Polaris and Leap 6.3

### Request Manager

REFRESH
CLOSE

Branch Community Library (COB)
Status Shipped
By Pickup

Holds
ILL
INN-Reach

Export
Receive
Return
Cancel
Delete
Filter ILLs

Total Items | 5 total

	DATE	AUTHOR	TITLE	ITEM AGENCY	ITEM LOCATION	FORMAT	PATRON NAME	SHIPPED DATE
	6/18/2019	Watson, Nancy Dingman.	The birthday goat. Pictures by Wendy Watson.	plagc	DML 3rd Floor Books	Sound Recording	InnReach, SisterYoda CommunityY-MVLS	6/18/2019
	6/18/2019	James, Henry, 1843-1916.	The turn of the screw [large print] / Henry James.	plagd	Pitkin Non-Print Collection C576	Book	InnReach, Logan Community Yoda-MVLS	6/18/2019
	6/18/2019	Underwood, Michael, 1916-	Double jeopardy [large print] / Michael Underwood.	plagd	Norlin Library--Stacks	Book	InnReach, Logan Community Yoda-MVLS	6/18/2019
	6/18/2019	Williams, Ursula Moray, 1911-	The Three toymakers / Illustrated by Shirley Hughes.	plagg	Corinth's Free Library	Book	InnReach, Logan Community Yoda-MVLS	6/18/2019
	6/18/2019	Williams, Vera B.	The great watermelon birthday / Vera B. Williams.	plagc	Broomfield MDE Non-Fiction	Book	InnReach, SisterYoda CommunityY-MVLS	6/18/2019

## Support for JetPay E-commerce in Polaris PowerPAC

You can now use the JetPay gateway to accept credit card payments from Polaris PowerPAC. JetPay is a hosted method of accepting credit card payments from PowerPAC. You can enable the use of JetPay at the system, library, or branch level.

When you use JetPay for payments, JetPay handles much of the responsibility of Payment Card Industry Data Security Standard (PCI DSS) compliance for your library. No credit card information is stored in the Polaris database when a payment is made via JetPay.

**Note:**

The use of JetPay for payments from the staff client, Polaris ExpressCheck, or Mobile PAC is not supported.

To enable JetPay e-commerce, you must:

1. [Set up a JetPay account](#)
2. [Set up JetPay processing in the Administration Explorer](#)

---

### Set Up a JetPay Account

To enable the use of JetPay for accepting credit card payments from Polaris PowerPAC, [contact JetPay](#) to establish an account for your library.

When establishing your library's JetPay account, make a note of the following two pieces of information:

- Client key
- Web key

You will need this information to [set up JetPay processing in the Administration Explorer](#).

---

### Set Up JetPay Processing in the Administration Explorer

To configure Polaris to use JetPay for processing credit card payments from PowerPAC:

1. In the Administration Explorer tree view, navigate to the organization for which you want to enable JetPay processing, and click **Parameters > Credit Card Payment**.
2. Double-click **Online Payments: Configure**.

The Online Payments Settings dialog box opens.

Online Payment Settings

Payment processing gateway

JetPay

Properties

PowerPAC Staff Client / Leap ExpressCheck Mobile PAC

☒ Allow online payments

Minimum fine (\$): \$1.00

Processing fee (\$): \$0.00

☐ Send email receipt

☐ Display privacy policy

☐ Display refund policy

☐ Allow donations


Processing fee (\$): \$0.00

☐ Allow patron to designate title purchase

OK Cancel Help

3. In the **Payment processing gateway** list, select **JetPay**.
4. Click **Properties**.

The JetPay dialog box appears.



The screenshot shows a dialog box titled "JetPay" with a close button (X) in the top right corner. Inside the dialog, there is a tab labeled "Connection". Below the tab, there are several input fields and a checkbox:

- Transaction URL: [Text input field]
- Payment page URL: [Text input field]
- Transaction fee URL: [Text input field]
- Client key: [Text input field]
- Web key: [Text input field]
- Post-back URL: [Text input field]
- PAC return URL: [Text input field]
- Donations PAC return URL: [Text input field]
- Library absorbs fees: ☐

At the bottom of the dialog, there are three buttons: "OK", "Cancel", and "Help".

5. Enter the following connection information:
  - a. Transaction URL - Enter the following URL:  
`https://magic.collectorsolutions.com/magic-api/api/transaction/redirect`
  - b. Payment page URL - Enter the following URL:  
`https://magic.collectorsolutions.com/magic-ui/PaymentRedirect`
  - c. Transaction fee URL - Enter the following URL:  
`https://magic.collectorsolutions.com/magic-api/api/fee`
  - d. Client key - Enter the client key provided when your library [set up a JetPay account](#).
  - e. Web key - Enter the web key provided when your library [set up a JetPay account](#).
  - f. Post-back URL - Enter the post-back URL for your site, using the format below:



<https://<www.mylibrary.org/polaris>/payments/PostbackJetPay.aspx>

**Note:**

Replace <www.mylibrary.org/polaris> with your Polaris PowerPAC URL.

This field accepts a maximum of 250 alphanumeric characters.

- g. PAC return URL - Enter the URL that will be displayed when the user clicks the return link on the JetPay final payment transaction page. To use your library's PowerPAC patron account Fine & Fees page, use the format below:

<https://<www.mylibrary.org>/polaris/patronaccount/finesfees.aspx>

**Note:**

Replace <www.mylibrary.org/polaris> with your Polaris PowerPAC URL.

This field accepts a maximum of 250 alphanumeric characters.

- h. Donations PAC return URL - If you plan to accept donations, enter the URL of the Polaris PowerPAC page that will be displayed when the user clicks the return link on the JetPay final payment transaction page. This field is required. If you do not plan to accept donations, simply enter your PAC Return URL. This field accepts a maximum of 250 alphanumeric characters.
  - i. Library absorbs fees - Select this checkbox if you want the library to absorb the JetPay credit card processing fee. This checkbox is a shadow setting of how your account is set up in JetPay to display warnings and fees to the patron and it must match the corresponding setting in JetPay. If this checkbox is not selected, the processing fee is billed to the patron.
  - j. Click **OK**.
6. Configure the following settings on the **PowerPAC** tab of the Online Payments Settings dialog box:
- a. Allow online payments - Select this checkbox to enable the use of JetPay for credit card payment processing.

**Note:**

In PowerPAC, patrons pay fines on the Fines and Fees page of the patron account. Be sure the PowerPAC profile **Navigation:**

**Fines & fees** is set to **Yes** for the organization to allow patrons to access this page. For more information, see [Enable patron account access - PowerPAC](#).

- b. Minimum fine - Enter the minimum fine amount that will be accepted via credit card payment. The default value for this setting is \$1.00.

**Note:**

If the amount a patron owes is less than the **Minimum fine** value, the **Pay fines** link does not appear in the patron's account in Polaris PowerPAC.

- c. Processing fee - This is controlled completely by JetPay and should be set up there. To charge a processing fee for fine payments, enter an amount in the **Processing fee** box. The maximum value for this setting is \$20.00. The default value is \$0.00.
  - d. Display privacy policy - To display a privacy policy link in Polaris PowerPAC, select **Display privacy policy**. For more information, see [Privacy and Refund Policy Display Options](#).
  - e. Display refund policy - To display a refund policy link in Polaris PowerPAC, select **Display refund policy**. For more information, see [Privacy and Refund Policy Display Options](#).
  - f. Allow donations - Select this checkbox to enable the use of credit card payments for donations.
  - g. Processing fee - This is controlled completely by JetPay and should be set up there. To charge a processing fee for donations, enter an amount in the **Processing fee** box for donation payments. The maximum value is \$20.00. The default value is \$0.00.
  - h. Allow patron to designate title purchase - Select this checkbox to allow the donor to direct a donation toward a title purchase in a specific subject area. When this option is selected, the donations page includes a field where the donor can specify a title purchase.
7. Click **OK** to save your settings.

## **Display Improvements in Polaris PowerPAC**

Item availability information in the PowerPAC user interface has been improved to reduce horizontal scrolling. This change makes it easier for users to navigate Polaris PowerPAC using mobile devices.

Tablets will display item availability information in a table format similar to that on a PC.

Phones will display item availability information in a list.

## Multilingual Support for Dashboard Titles


If your library is licensed for additional languages in the PAC, you can now view dashboard labels in a language other than English, and the labels can be customized. Previously, when a different language was selected, the dashboard labels would continue to display in English. Labels can now appear in the language the user selects if the database contains the appropriate translation.

Two dashboard types can be configured: Polaris PowerPAC dashboards and customer-defined dashboards. The following sections describe how to customize each dashboard.

---

### Customize the Polaris PowerPAC dashboard

Each of the Polaris-defined dashboards now have a system-assigned mnemonic that can be used to edit the dashboard's default title. You can view a dashboard's mnemonic in the properties box that opens when the dashboard label is double clicked.



To change a mnemonic, edit the strings associated with that mnemonic in WebAdmin. The following table lists new mnemonics and associated values that can be used with multilingual support.

Mnemonic	Value
PACML_DASH_CHILDFICTIONSERIES	Children's Fiction Series
PACML_DASH_CHILDILLUSTRATED	Children's Illustrated
PACML_DASH_DONATION	Make a Donation
PACML_DASH_EARLYMIDDLE	Early and Middle Grade Readers
PACML_DASH_HARDFICTION	Hardcover Fiction
PACML_DASH_MASSMARKET	Mass Market
PACML_DASH_MOSTCIRCAUTHORS	Most Circ'd Authors
PACML_DASH_MOSTCIRC SUBJECTS	Most Circ'd Subjects
PACML_DASH_MOSTCIRCTITLES	Most Circ'd Titles

PACML_DASH_NEWTITLES	New Titles
PACML_DASH_ONORDERITEMS	On-Order Items
PACML_DASH_PAPERFICTION	Trade Paperback Fiction
PACML_DASH_PAPERNONFICTION	Trade Paperback Non-Fiction
PACML_DASH_YOUNGADULT	Young Adult


Some dashboards are not listed. They already have mnemonics that allow them to be customized in WebAdmin. These dashboards are listed in the table below.

Mnemonic	Value
PACML_HEADER_1007	Patron Account
PACML_FEATURE_DASHHEAD	Feature It!
PACML_DASHBOARD_XSL_1551	Title Lists
PACPROF_NARROW_DASH_LABEL (multilingual SA string)	Narrow Search
PACPROF_RELATED_DASH_LABEL (multilingual SA string)	Related Searches
ACPROF_NARROW_DASH_LABEL (multilingual SA string)	Narrow Community Search
PACPROF_RELATED_DASH_LABEL (multilingual SA string)	Related Community Search
PACML_DASHBOARD_XSL_1558	Saved Searches
PACML_RVT_DASHHEAD	Previous Titles

## Customize a customer-defined dashboard

You can now associate a multilingual mnemonic with user-defined dashboard labels.

When creating a new user-defined dashboard, specify a mnemonic along with a default title. Mnemonics should not contain spaces.




- Mnemonics are optional. If multiple languages are not used in PowerPAC, a mnemonic does not need to be specified during dashboard creation. The dashboard title will only display what is entered in the dialog box "Title" field.
- A mnemonic is only specified when creating a dashboard. To add a mnemonic to an existing user-defined dashboard, the old dashboard must be deleted and a new one created. When the new dashboard is created, a mnemonic can be specified.

Strings for each language are created automatically with the title specified as the default display value for the mnemonic. The title label can then be edited for each language using the mnemonic in WebAdmin.

## Configure the Maximum Length of the Title Summary in PowerPAC Search Results


The new PowerPAC profile **Title Display: Number of characters in the Summary (Short)** allows you to specify the maximum number of characters of the Summary (Short) field that are displayed in the brief and full search results views for a title in the Polaris PowerPAC.



By default, this profile is set to "0", and the number of characters displayed is not limited. You can enter a value between 0 and 4000.

When **Summary** field text exceeds the specified limit, Polaris PowerPAC displays truncated summary text followed by a **More** link. Users can click **More** to expand the display to show the entire summary, and click **Less** to collapse the display again.





2008

★★★★★ (1)


Lexile: 670

User rating

[Rate or review](#)

[Add to Shelf](#)

[add a review](#)



### 3. The first *moon landing*

by Kortenkamp, Steve.

... Dreaming of the *moon* – The space race – Practice makes perfect – Apollo 11 – Going to the *moon* – **Landing** on the *moon* – Exploring the *moon* – Coming home – Amazing ...


Summary: Describes the first **landing** on the *moon*, including information about the ...[More](#)


Publisher, Date: Mankato, Minn. : Capstone Press, ©2008.


Description: 24 pages : illustrations (chiefly color) ; 22 cm.

Series: [First facts. Solar system.](#)

Target Audience Note: 2.

 AVAILABILITY

 FULL DISPLAY

 PLACE REQUEST

[Add to My List](#)

## Compile CSS File with Polaris Web Admin Tool

An option to compile custom CSS for custom themes has been added to the **Polaris Web Admin tool** for hosted libraries without direct access to the PowerPAC server.

The new option is found under **PAC Tools > Compile CSS**:



When a site has at least one custom theme, a table similar to the PAC reload is displayed:

Polaris Web Admin Tool		
Language Tools	PAC Tools	PAPI Key Management Help
Reload	Compile CSS	Identify String Log Off

Compile CSS		
	Reload	Compile CSS Identify String Log Off
PowerPAC Server	Custom Theme	Status
https://rd-polaris.polarislibrary.com/polaris/	Compile 'MVLS' theme	Theme not yet compiled
	Compile 'BCPL' theme	Theme not yet compiled
	Compile 'Rube' theme	Theme last compiled: 1/24/2019 3:34 PM
http://rubenau-It.iii.com/polaris	Compile 'MVLS' theme	Theme not yet compiled
	Compile 'BCPL' theme	Theme not yet compiled
	Compile 'Rube' theme	Theme not yet compiled

The table contains:

- **PowerPAC Server** - the names of the servers on which the custom themes are compiled.
- **Custom Theme** - the name of each custom theme found on the server. The name is clickable and executes the compile/recompile action on click.
- **Status** - the status of the compile. This column will display one of the following:
  - Last date/time the theme was compiled successfully
  - Theme not yet compiled
  - Compiling
  - Compile failed with any error details


## What's New in Polaris and Leap 6.3

- Compile successful

http://QA-Polaris.polarislibrary.com/polaris/	Compile 'MVLS' theme	Theme last compiled: 4/24/2019 1:22 PM
	Compile 'BCPL' theme	Theme not yet compiled
	<a href="#">Compile 'Responsive Test' theme</a>	Compiling ...

http://rubenau-lt.iii.com/polaris	Compile 'MVLS' theme	Theme not yet compiled
	Compile 'BCPL' theme	<b>Compile failed</b> File: 'G:\Projects\Dev\Software\src\PowerPAC\custom\themes\bcpl\scss\style-bcpl.scss' not found on server
	Compile 'Rube' theme	<b>Compile successful</b>

When the site does not have custom themes, the page will display the following message:



## Security Improvements for Patron Password Workflows

Polaris 6.3 contains updates that improve security for patrons who create or reset the password for their library account from Polaris PowerPAC, Mobile PAC, or ExpressCheck.

In previous versions, a patron could request a new password by clicking a **Forgot your password?** link in either Polaris PowerPAC, Mobile PAC, or ExpressCheck. The library would then send a new password to the patron in an email message.

If a patron had a library account but had never created a password for the account, the patron could create a password by clicking a **Create a password** link in Polaris PowerPAC, Mobile PAC, or ExpressCheck.

In Polaris 6.3, a patron who wishes to create or reset a password can click a link in Polaris PowerPAC, Mobile PAC, or ExpressCheck and receive an email containing a time-sensitive link to a Reset Password page where the patron can configure a new password. Libraries can use the new **Reset password link timeout duration** setting to specify the time period during which the time-sensitive password reset link remains valid.

[Patron Workflow for Creating or Resetting a Password](#)

[Configuring the Reset Password Link Timeout Period](#)

[Other User Interface Changes](#)

---

### Patron Workflow for Creating or Resetting a Password

Patrons can use the workflow described below to reset a library account password or create a password for the first time in Polaris PowerPAC or Mobile PAC.

To reset or create a password:

1. In Polaris PowerPAC, select **Log In** at the top of the page or **Log In/Register** from the My Account menu. In Mobile PAC, click the **My Account** link. Or, in ExpressCheck, scan your barcode or select **Forgot your library card? Press here!**.

The Log In page appears.

2. Click the **Forgot your password?** link.

A Reset Password page appears.

3. Enter your user name or barcode in the **Username or Barcode** box.
4. Click **Submit**.

Your library sends an email to the email address associated with your library account.

5. Open the email and click the provided reset password link.

A Reset Password page opens in a new browser window or tab.

6. Enter your new password in the **New Password** box.
7. Enter your new password in the **Confirm Password** box.
8. Click **Submit**.

A confirmation message appears, and your library account is updated with your new password.

---

## Configuring the Reset Password Link Timeout Period

A new **Reset password link timeout duration** profile setting is now available on the **Profiles > PAC** tab of the Administration Explorer.

This setting determines the time period (in minutes) during which the reset password link emailed to the patron remains active. The setting is available at the System, Library, and Branch levels. You can enter a value between 1 and 999 minutes. By default, the timeout period is set to 60 minutes.

If a patron clicks the reset password link after the active period has elapsed, a Reset Password page appears. The page notifies the patron that the reset password link has expired and prompts the patron to request a new one by entering a library user name or barcode.

The nightly Patron Processing SQL job removes reset password links after the specified active period has elapsed.

---

## Other User Interface Changes

In the Administration Explorer, the **Display prompt for new password** setting no longer appears on the **Log In** tab of the Patron Access Options profile. This profile setting is no

longer needed; a patron with an existing library account who has never created a password can create one using the workflow described above.

---

## Updated E-mail Forgotten Password Label

The label for the optional system email forgotten password feature has been updated. The label is now called **E-mail reset password link**.

To access the feature in the Administration Explorer, go to **Profiles > PAC > Patron Access Options > Login**:

Patron Access Options [ QA-YODA 6.3 (sys) ]

Self-registration Defaults **Log In** Contact Info Preferences Ask us

☒ Patron can change password:

Staff can override password

☒ Enable staff override

PAC override password:  
12345

☒ Enable patron username

☒ **E-mail reset password link**

☐ Passwords must be numeric only

Enable for patron codes:

- ☒ CPH Outreach
- ☒ CPH Resident
- ☒ CPH Retired
- ☒ CPH Staff / Board
- ☒ Delinquent Borrower
- ☒ ILL Agency
- ☒ Juvenile
- ☒ Juvenile with Restrictions
- ☒ New Borrower
- ☒ Outreach
- ☒ Regular
- ☒ Retired
- ☒ Saratoga Outreach
- ☒ Saratoga Resident
- ☒ Saratoga Staff / Board
- ☒ Schenectady resident

Save Cancel Apply Help

## Leap Offline

Permission based Leap Offline is now available for circulating materials while your database server or network are unavailable. Each Windows user will have a unique installation of Leap Offline for each browser they use. Installation of the application is initiated through Leap and should be bookmarked for future use. The application uses the local storage features of your browser to store limited installation data that is required to process offline transactions. No patron data will be stored locally.

The Leap Offline application is shown below:


Item Barcode	Due Date
0000101521664	7/10/2019
0000203269816	7/10/2019

Offline transactions are stored in the local storage of the user's browser until the user chooses to send them to the server for processing or to delete them.

As you work in Leap offline, you will see your transaction count increment with each check out. The Transactions badge will keep you informed of your progress.

Selecting the Transactions badge will open a dialog showing all the offline transaction files you have generated, with an option to delete them. You should only delete

transaction files you created while training or testing. Deleting files cannot be undone.




---

## New Permission for Leap Offline Setup

A system administration permission to control which users can complete the Leap Offline installation is now available. Select **Security > Leap > Setup Offline > Allow**.





- This permission is not assigned at upgrade.
- Workstation access is permitted by default.
- The permission is not overridable.

---

## Web Browser Information for Leap Offline

The following browsers are compatible with Leap Offline:

- Windows Chrome v74.0.3729.157+
- Windows Edge v44.17763.1.0+
- Windows Firefox v66.0.5+
- OS X Safari v12+
- OS X Chrome v74+
- iOS Safari 11.3+ (eg: iPad 5th+, iPad Air+)


Incompatible browsers:

- Windows Internet Explorer (all)
- iOS Safari 1.0-11.2


## Leap Offline Installation

You must have the Leap Offline permission enabled and use a compatible web browser to install the application.


1. If Leap Offline has not been previously installed, you will see an installation Warning icon. To install, select the **Warning** icon:




2. Select **Install Offline**:




3. You will see the following message:



4. Select **Leap Offline**.



5. **Leap Offline** will open in the browser.



**Note:**

The URL used to access Offline is case sensitive, and you should create a bookmark for it to access the Leap Offline application for future sessions.

**Note:**


Offline data (both setup data AND actual transaction data) is stored in the local storage of the user's browser. You should not clear your cache while you have unprocessed offline transactions.

---

## Refresh Leap Offline Installation

You have an option to update your Leap Offline installation with any changes made to system administration without manually clearing your cache and re-installing the application.

This option is found in the Leap application. Select **User Profile > Refresh Offline Installation**.



Refreshing the installation updates the following values:


- User ID
- User Name
- Workstation ID
- Workstation Branch ID
- Workstation Name
- Branch ID
- Standard Loan Period
- Branch Name
- Branch Phone
- Branch Home Page
- Branch Receipt Note
- Locale Name

---

## Leap Offline Settings


The Settings workflow in Leap Offline has several options.

Select **Print Options** to enable Check Out receipt printing for patrons. This selection is persistent unless the cache is cleared.




The screenshot shows the 'Settings' page with a 'Check Out' button at the top left. In the top right, there are 'Settings' and 'Print' buttons. The 'Settings' section has a tab bar with 'Print Options', 'Special Loan', 'Workform Defaults', and 'Installation'. The 'Print Options' tab is selected and highlighted with a red box. Below the tab bar, there is a 'Check out' section with a checkbox labeled 'Check out receipt' which is checked.

Select **Special Loan** to set a special loan period that applies to all checkouts. If selected, this value is stored globally for the loan session.




The screenshot shows the 'Settings' page with the 'Special Loan' tab selected and highlighted with a red box. Below the tab bar, there is a checkbox labeled 'Apply to all check-outs' which is checked and highlighted with a red box. To the right of this checkbox is a text input field. Below this, there is a calendar widget for July 2019, with the 18th highlighted in blue and highlighted with a red box. To the right of the calendar, there is a 'Loan period' field with the value '22' and a 'Days' dropdown menu.

Select **Workform Defaults** to view the value that is used to calculate the due date if the user doesn't choose to use the special loan. This value is not editable.




The screenshot shows the 'Settings' page with the 'Workform Defaults' tab selected and highlighted with a red box. Below the tab bar, there is a section titled 'Workforms: Offline check out' with a text input field labeled 'Standard loan period (days)' containing the value '14', which is highlighted with a red box.

Select **Settings** > **Installation** to view installation settings. All values stored in the web browser's local storage during Leap Offline installation are displayed.



## Uploading Offline Transactions


If you have unprocessed offline transactions when you log into Leap, you will see the following message:



The User profile icon is also set to the **Warning** icon. Select the icon to access options to process the offline transactions.

- The **Send Offline Files to Server** option sends all unprocessed offline transactions to the server for processing. All transactions sent to the server will be processed and uploaded using the Automatic Offline Upload process.
- The **Delete My Offline Files** options deletes all unprocessed offline transactions

from the browser. The deleted transactions cannot be recovered.




## Columns Added For Display in Leap Item Find Tool

The following configurable columns were added under Column Settings in the Leap Item Find tool:

- Author
- Due date
- Publication date
- YTD Circ
- Prev YTD Circ
- Lifetime Circ
- YTD in-house use
- Prev YTD in-house use
- Lifetime in-house use
- Public notes
- Non-public notes
- Physical condition
- Copy number
- Assigned branch abbreviation
- PO number

In the Item Find tool select Column Settings:



The added columns can be selected and configured for display in the Item Find tool.



Find Tool - Item Record

Column Settings

☐ Bib Control Number

☐ Author

☐ Due date

☐ Publication date

☐ YTD Circ

☐ Prev YTD Circ

☐ Lifetime Circ

☐ YTD in-house use

☐ Prev YTD in-house use

☐ Lifetime in-house use

☐ Public notes

MOVE UP

MOVE DOWN

Display Position	1
Folded	False
Name	Title
Pinned	False
Visible	True
Width	12.291

Display Position


The order of the column in the display.

SAVE

CANCEL

## Improvement to Patron Properties in Leap

The patron's birth date is now included in the list of patron information that appears when you view patron properties in Leap.



**LAURA IZQUIERDA** ⓘ

A12291954

C PATRON INFO - 357715

Check Out

Profile

Attributes

Email

Address

Phone/Fax

Notification

Preference

Image

Misc. Info

PATRON CODE: RETIRED

**BIRTH DATE: 12/1/1955**

HOME ADDRESS:  
101 E. MAIN STREET  
SYRACUSE, NY 13210

PHONE NUMBER: 315-512-5555

EMAIL ADDRESS: LAURA@III.COM

EXPIRATION DATE: 11/15/2022

NOTIFICATION OPTION: MAILING ADDRESS

VOTER REGISTRATION: YES

PRIVILEGES / RESTRICTIONS: 4

ID NUMBER: 4

## **Improved Sorting for Title Lists in Leap Patron Views**

Lists of titles that appear in patron views in Leap are now sorted using Name Authority Cooperative Program (NACO ) normalization rules.

## **Editing Saved Reports in SimplyReports**

You can now edit all column and filter settings for the following types of saved reports: fund list reports, invoice list reports, and purchase order list reports.

You can also edit many other types of saved reports. See the SimplyReports user documentation for more information.