

Polaris 5.0 Database Changes

(4.1R2.1439 - 5.0.191)

Copyright © 2015 by Innovative Interfaces, Inc.

This document is copyrighted. All rights are reserved. No part of this document may be photocopied or reproduced in any form without the prior written consent of Innovative Interfaces, Inc.

Trademarks

Microsoft® and Windows® are registered trademarks of Microsoft Corporation. Apple® and iPad® $\,$

are registered trademarks of Apple Inc. Other brands and product names are trademarks of their respective owners.

Disclaimer

The information contained in this document is subject to change without notice. Innovative Interfaces, Inc. shall not be liable for technical or editorial omissions or mistakes in this document nor shall it be liable for incidental or consequential damages resulting from your use of the information contained in this document.



New Tables in the Polaris Database

These tables were added to the Polaris database after Polaris 4.1R2.1439.

ChainedJobs Table

This table contains the job names included in the Chained Jobs process and the order in which they should be run.

Column Name	Data Type	Description
JobName	sysname	Name of SQL job
RunOrder	int	The order in which the included jobs are run.

SA_FloatingMatrixCollectionLimits

This table contains the collection limits set by the branch for floating collections.

Column Name	Data Type	Description	
ItemCheckInBranchID	int	int Foreign key link to the Organization table. This is restricte the Polaris application to only Branch entries.	
CollectionID	int	Foreign key link to the Collections table.	
Limit	int	Maximum number of items that can float to the associated collection for that organization.	
ItemCount	int	Count of items currently on the shelves of the associated branch.	

SA_SIPCheckOutItemAllowances Table

This table identifies each branch's item statuses that are available for check-out through the SIP service.

Column Name	Data Type	Description
OrganizationID	int	The organization's ID. Foreign key reference to the Organizations table.
ItemStatusID	int	The item status ID. Foreign key reference to the ItemStatuses table.
IsSelected	bit	Flag indicating if the item status is available for check-out through the SIP service.

Modified Tables in the Polaris Database

These modifications were made to existing tables in the Polaris database after Polaris 4.1R2.1439. For more information, see the 5.0 database Help on the Polaris customer supportal.

FindToolColumnSettings

NEW Column Name	DATA TYPE	Description	
Visible	bit	Indicates whether the column is visible.	
Pinned	bit	Indicates whether a column will move when a user scrolls the results list horizontally.	
Folded	bit	Indicates whether a column will be folded into a secondary textended into a secondary textended and displayed under each row's (standard) tabular data.	

REMOVED Column Name	DATA TYPE	Description
DisplayTypeID	tiny int	Unique identifier for the column display.

FindToolSavedSearches Table

NEW Column Name	DATA TYPE	Description
UserID	int	Unique identifier of a Polaris user. This column is required when the search mode is Power Search (2), and NULL otherwise.

ItemRecordDetails

NEW Column Name	DATA TYPE	Description
SpecialItemCheckInNote	varchar (255)	Note submitted during check-in from the Special Item Check-in dialog box.

Patrons Table

NEW Column Name	DATA TYPE	Description
RecordStatusID	int	For future use.
RecordStatusDate	datetime	For future use.

PatronAssociations Table

NEW Column Name	DATA TYPE	Description
AllowMe	bit	When this flag is set, the current patron is allowed to pick up holds for the linked patron.

PatronClaims Table

NEW Column Name	DATA TYPE	Description
ClaimNoticeSent	bit	Flag indicates whether a notice has been sent for this claim.

PatronRegistration Table

NEW Column Name	DATA TYPE	Description
ExcludeFromAlmostOverdueAutoRenew	bit	Indicates whether the patron is to be excluded from receiving Almost overdue/Auto Renew notices.
ExcludeFromPatronRecExpiration	bit	Indicates whether the patron is to be excluded from receiving patron record expiration reminder notices.
ExcludeFromInactivePatron	bit	Indicates whether the patron is to be excluded from receiving patron inactivity reminder notices.

Tables Deleted from the Polaris Database

This table was deleted from the Polaris database after Polaris 4.1R2:

FindToolColumnDisplayTypes

Results and Transactions Databases

There were no new or modified tables in the Results or Transactions databases.